

Tubing

Outside diameter		Wall thickness		Nominal weight of threaded pipe with coupling			Grade	End finish
in	mm	inch	mm	lb/ft	kg/m	kg/ft		
1.900	48,3	0,145	3,68	2,75	4,09	1,25	J, (K), N	NUE
		0,2	5,08	3,65	5,43	1,66	J, (K), N	NUE
2 3/8	60,3	0,167	4,24	4	5,95	1,81	J, (K), N	NUE
		0,19	4,83	4,6	6,85	2,09	J, (K), N	NUE
2 7/8	73	0,217	5,51	6,4	9,52	2,9	J, (K), N	NUE
		0,217	5,51	6,5	9,67	2,95	J, (K), N	EUE
3 1/2	88,9	0,216	5,49	7,7	11,46	3,49	J, (K), N, L, C	NUE
		0,254	6,45	9,2	13,69	4,17	J, (K), N, L, C, P	NUE
		0,254	6,45	9,3	13,84	4,22	J, (K), N, L, C, P	EUE
		0,289	7,34	10,2	15,18	4,63	J, (K), N, L, C	NUE
		0,375	9,53	12,7	18,9	5,76	(K), N, L, C, P	NUE
4	101,6	0,226	5,74	9,5	14,14	4,31	J, (K), N, L, C	NUE
		0,262	6,65	11	16,37	4,99	J, (K), N, L, C	EUE
		0,33	8,38	13,2	19,64	6	J, (K), N, L, C	NUE
		0,415	10,54	16,1	23,96	7,31	J, (K), N, L, C	NUE
4 1/2	114,3	0,271	6,88	12,6	18,75	5,72	J, (K), N, L, C	NUE
		0,271	6,88	12,75	18,97	5,8	J, (K), N, L, C	EUE

Drill Pipe

Outside diameter		Wall thickness		Nominal weight of pipe		Grade	End finish
in	mm	inch	mm	lb/ft	kg/m		
2 7/8	73	0,362	9,19	10,4	15,49	E, X, G	EUE
3 1/2	88,9	0,368	9,35	13,3	19,81	E, X, G	EUE
		0,449	11,4	15,5	23,09	E, X, G	EUE / IUE
5	127	0,362	9,19	19,5	29,05	E, X, G	EUE / IUE